



## Millers Falls . . . the Professional's choice

Millers Falls hand tools have been used by professional craftsmen throughout the world for over a century. Their reputation for quality and value is unsurpassed in the hand tool industry.

Every hand tool bearing the Millers Falls name is manufactured to exacting standards

and "job tested" to assure proper strength, balance, ease of handling and reliability on the

When superbly crafted and highly durable hand tools are required, the professionals choose Millers Falls.

# warranty

Millers Falls warrants to the original purchaser for (1) one year from date of purchase, to correct by repair or parts replacement at no charge, any defect which upon our examination proves to have been caused by faulty materials or workmanship. This warranty does not cover abuse, normal wear or careless handling and is void if the tool has been repaired or serviced by personnel not authorized by Millers Falls. Simply return the tool (properly packed with all transportation charges prepaid) to the nearest Millers Falls Distribution Center or Authorized Service Station. No other warranty, however expressed or implied, on our products is authorized by us.

# index

PUNCHES	52
	/6
RULES	CA
Folding Wood	34
Tapes, Rules and Replacement	^
	04
SAWS	
Bow Saws	0/
Compass Saws	20
Coping Saws	26
Drywall Saws	56
Hacksaws	55
Hand Saws	54
Keyhole Saws	56
Nest of Saws	56
Saw Sets	5/
SAWHORSE BRACKETS	75
SCRAPERS. WALL	58
SCRAPERS. WOOD	75
SCREWDRIVERS70-7	73
SHEARS AND SNIPS	60
SQUARES. CARPENTERS	66
SQUARES, COMBINATION	66
TACK CLAW	75
TAP	61
TAP WRENCH	61
THICKNESS GAUGES	62
TUBING CUTTERS	61
TUBING FLARING TOOL	61
VISES BENCH	75
WRECKING BARS	76
VARDSTICKS	64
TAILBOTTONO	-
	PUNCHES RIPPING BARS RULES Folding Wood





Scout Axe With Sheath. Precision forged and polished quality tool steel head. Steel wedged durable hickory handle. Beveled nail slot.

Hunters Axe. Precision forged and polished quality tool steel head. Steel wedged durable hickory handle.

Half Hatchet. Polished face and bit with ground sides. Octagon pole and steel wedged durable hickory handle. Beveled nail slot.

Lath Hatchet. Ground steel head, scored face and steel wedged durable hickory handle.

#### **HAMMERS**

Brick Hammer. Ground face and sides with steel wedged durable hickory handle.

Flooring/Framing Hammer. Round pole, octagon neck pattern. Fully polished head with steel wedged selected hickory handle.

Nail Hammers. Fully polished head with full octagon pattern. Steel wedged selected octagon hickory handle.

Nail Hammers. Bell faced, round neck pattern with polished sides and face. Steel wedged selected hickory handle.

Nail Hammers. Ground and semipolished forged heat treated alloy head. Hardwood handle.

1417

1416

16 oz. claw

16 oz. ripping


	9
Cat. No.	Specifications
9260	1¼ lb. 3″ cut 13″ overall length
9261	2¼ lb. 3¼″ cut 19″ overall length
9255	3½″ cut 13″ overall length
9256	2¼″ cut 13″ overall length
9757	24 oz.
įs.	
9697	20 oz.
9751 9752 9753 9754 9755	13 oz. claw 16 oz. claw 16 oz. ripping 20 oz. claw 20 oz. ripping
9125 9126 9127	7 oz. claw 16 oz. claw 16 oz. ripping
1418	7 oz. claw

# hand tools

**HAMMERS** (continued)







\*462C

\*147C

Fiberglass Handle
Nail Hammers. Polished, forged
and heat treated head. Red
fiberglass handle with rubber
"Cushion-Grip."

All Purpose Nail Hammer. Hardwood handle with polished curved back claw.

Hammer Holster. Fine cowhide leather with belt loop and steel ring to hold any nail hammer.

# NAIL SETS & PUNCHES

Nail Sets. One piece alloy steel hardened and tempered for long life. Black body. 4" long. "C" denotes carded.

Nail Set Pak. Assortment of three nail sets. One each numbers 801, 802, 803. Carded.

Center Punch. One piece alloy steel hardened and tempered. Round knurled shank with square head to prevent rolling. 4" long. "C" denotes carded.

Prick Punch. One piece steel hardened and tempered. Round knurled shank with square head to prevent rolling. 4" long. "C" denotes carded.

Self-Centering Screw Hole Punch. Self-positioning in any screw hole or countersunk hardware. Spring return. Carded.

Automatic Center Punch.
Hardened steel point
automatically makes accurate
impression for marking or drill
starting. Adjustable impression
mechanism. Replaceable point.
Carded.

Cat. No.	Specifications	
9516 9520 9816 9820	16 oz. claw 20 oz. claw 16 oz. ripping 20 oz. ripping	
9916	16 oz. claw	
9870	For all nail hammers	
801 801 C	⅓₂″ tip, 4″ long	
802 802C	⅔₂" tip, 4" long	
803 803C	3⁄₃2" tip, 4" long	1
804 804C	4⁄32" tip, 4" long	1
805 805C	5⁄32" tip, 4" long	
833C	⅓₂″, ⅔₂″ and ⅔₂″ nail sets	
460 460C	%6″ stock, 4″ long	
465 465C	⅓″ stock, 4″ long	
147C	3" long	
462C	4" long	



# Millers Falls

# nand tools

# **WOOD CHISELS**







30-05C

Butt Chisels. Heavy duty forged alloy steel taper ground and polished blade. Clear red plastic handle with steel cap that centers blow. "C" denotes carded.

Wood Chisels. Professional duty forged alloy steel taper ground and polished blade. Clear plastic handle. "C" denotes carded.



1434C



3034C

Butt Chisel Set. Assortment of four 30 series butt chisels in protective plastic pouch.

Wood Chisel Set. Assortment of four 1430 series wood chisels in protective plastic pouch.

#### STAR DRILLS

1216-06

MILLERS FALLS GO NO, 1219

Forged octagon alloy steel.

30-01 30-01C	1/4" width
30-02	V-100 - 100
30-02C	%" width
30-03	47.000001.1110
30-03C	½" width
30-04	5⁄8" width
30-04C	98 WIGHT
30-05	¾" width
30-05C	74 WIGHT
30-06	1" width
30-06C	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
30-07 30-07C	11/4" width
30-070	50 SSC 50000000000000
30-08C	11/2" width
30-09	
30-09C	2" width
00 000	
00 NEW 700 NO NO	
1430-01	1/4" width
1430-01C	74 Matri
1430-02	%" width
1430-02C 1430-03	No services
1430-03 1430-03C	½" width
1430-030	
1430-04C	%" width
1430-05	No Supplement of Austria
1430-05C	¾" width
1430-06	49 111
1430-06C	1" width
1430-07	1¼" width
1430-07C	174 WIGHT
1430-08	1½" width
1430-08C	172 1110011
3034C	1/4", 1/2", 3/4" and 1" widths
1434C	1/4", 1/2", 3/4" and 1" widths
1216-01 1216-02 1216-03 1216-05 1216-07 1216-08 1216-09 1216-10	14" diam. 14" diam. 16" diam. 12" diam. 16" diam. 14" diam. 16" diam.
	19

Cat. No.

30-01

Specifications

12" long. Resharpenable.




Professional Crosscut Saws. First choice of the professional carpenter, Highest quality Chrome Nickel Alloy Steel blade features full taper ground to prevent binding. Blade expertly tempered, hardened and highly polished for ultimate cutting ease. Teeth are precision bevel filed. Contoured handle of finest hardwood.



9005

Deluxe Saws. Designed for the frequent user. Special saw steel blade is fully polished and bevel filed for faster cuts. Wood handle.



2210

ver a construction of a single every

Crosscut Saws, High quality ground and tempered blade. Contoured wood handle.



2010

Tool Box Size, Filed and set for all purpose sawing. Contoured wood handle. Short profile to fit most tool boxes.

## **HACKSAWS**

Professional Deep Throat Frame. hand guard. Blade included.

Extra capacity 43/4" depth of cut for professionals. Blade tension lever for positive guide tensioning, adjustable for 10" and 12" blades. Four blade positions-ideal for left, right, vertical and flush cutting. Molded handle with

Specifications

Cat. No.

9308

9310

26", 8 pt., crosscut 26", 10 pt., crosscut

9005 26", 51/2 pt., ripping 9008 26", 8 pt., crosscut 9010 26", 10 pt., crosscut

2208 26", 8 pt., crosscut 2210 26", 10 pt., crosscut

2010

300-01

20", 10 pt., all-purpose

4¾" depth of cut, 10" and 12" capacities



300-01

# Millers Falls hand tools HACKSAWS (continued)

Q		HACKSAWS (coi	n
	1 N TOPRICE STEP 84	Ender Formates C	H w ga v a b
	1414		ri fu e b a
	48	2 months	s m a b ic fl ir
	1237		g F e b
Vervices	*345C	FLIST FALL IN PO	T st h c
	*9345C	Marie 1973 F. 34	hi chi st w
			E

Heavy Duty Industrial Frame.
Heavy gauge rigid steel frame
with contoured handle and hand
guard. Four-position blade
adjustment for left, right and
vertical cutting. Frame easily
adjusts for 8", 10" and 12"
blades. Blade included.

Tubular Frame. %" diameter rigid tubular steel frame with full grip die-cast handle. Frame easily adjusts for 10" and 12" blades. Handy thumb hook adjusts to most comfortable position. Blade included.

Semi-Industrial Frame. Rigid steel frame with high impact molded handle. Frame easily adjusts for 8", 10" and 12" blades. Four blade positions—ideal for left, right, vertical and flush cutting. Plated. Blade included.

Pistol Grip. Shatter resistant pistol grip handle, reinforced back. Four blade positions. Frame easily adjusts for 8", 10" and 12" blades. Blade included.

# **COMPASS SAWS**

Two Position Compass Saw.
Tempered, filed and set alloy
steel blade. Two position wood
handle for regular and flush
cutting. Carded.

Compass Saw Set.Includes 12" and 14" tempered, filed and set alloy steel blades. Two position handle for regular and flush cutting. High impact plastic handle, Carded.

Compass Saw.For inside straight and curve cutting in wood and plywood. Filed and set 12" blade. Hardwood handle.

Compass Saw Replacement Blades. For use with 341, 9345C and 345C Compass Saws.

Cat. No.	Specifications
84	3¼" depth of cut, 8", 10" and 12" capacities
1414	4" depth of cut, 10" and 12" capacities
48	3¼" depth of cut, 8", 10" and 12" capacities
1237	3¼" depth of cut, 8", 10" and 12" capacities
345C	14", 8 pt. blade
9345C	Includes 12" and 14", 8 pt. blades
341	12", 8 pt. blade
R12 R14	12", 8 pt. blade 14", 8 pt. blade

<sup>\*</sup> Denotes carded or packed in vinyl pouch.



Plated Steel Frame. Hardwood
handle. 61/2" pin end blade
rotates to any position.
Accommodates all 61/2" pin-end
or lock-loop blades. Blade
included.


# Coping Saw Set. Rustproof frame with plastic handle. Includes four 6½" blades. Carded.

Coping Saw Replacement Blade.
Heavy duty pin end. For use with
all Millers Falls Coping Saws.
Uniformly heat treated with
accurately set teeth for fast,
clean cutting.

out. No.	oposition to
52 49	5" throat 6%" throat
45C	4%" throat
65	6½″ long

Specifications

Cat. No.



56

#### **DRYWALL SAWS**

Rotating Blade Drywall Saw.
Blade rotates and locks in eight
positions. Ideal for cutting
openings for outlet, switch and
wall fixtures. Carded.

Drywall	Saw	Repla	cement	Blade
For use	with	Model	499C	
Drywall	Saw	•		

499C	5½", 9 tooth blade

149

895

995C

9370C

7-03

8-04

9-01

51/2", 9 tooth

12", 10 tooth blade

12", 10 tooth combination 12", 24 tooth metal

12", 7 tooth wood

71/2", 9 tooth wood

18 tooth metal 24 tooth metal

9 tooth wood

7½", 18 tooth metal 7½", 24 tooth metal



# **KEYHOLE SAWS**

Keyhole Saw. Hand contoured
for easy use. Die-cast handle
allows quick rotation of blade to
eight locking positions. Includes
combination wood/metal blade.

Nest of Saws. Same as Mode	1 895
but with extra 24 tooth metal	and
7 tooth wood blades, 12" long	g.
Carded	73.

Nest of Saws, Contain	s handle
plus one wood cutting	blade and
two metal cutting blad	les. Great
for cutting nails, lath,	plaster
board, BX cable, cond	
Carded	

Replacement Blades. For use	with
Model 789C and 9370C. 71/2" I	

8	10 80 8000	S 92: 0 1
Replacement Blades. For use with Models 895, 995C and 499C. 12" long.	109 249 279	10 tooth combination 24 tooth metal 7 tooth wood
		1





\* 9370C





Saw Knife Set. Includes 9333 Utility Knife handle, 7-03, 8-04 and 9-01 Keyhole Saw Blades and five utility knife blades. Carded.

Multi-Purpose Saw Set. Includes 10" Keyhole Saw, 12" Back Saw,

15" Pruning Saw and 16" Panel Saw. Easily


interchangeable blades for all-around home and hobby use.

**BOW SAWS** 

	Cat. No.	Specifications
7	789C	7½" long, 18 tooth and 24 tooth metal blades, 9 tooth wood blade, pkg. of five utility knife blades
9	0095	10" keyhole saw 12" back saw 15" pruning saw 16" panel saw
g	9030	30" blade, raker and four
6	6530	30" long, raker and four
g	9021	21" blade, raker and four
6	6521	21" long, raker and four
7	74	28" x 5" saw Capacity: 10½" at 90°, 7¼" at 45°
7	76	30" x 6" saw Capacity: 10½" at 90°,

71/4" at 45°






9030



#### Bow Saw Replacement Blade. For use with Model 9021, 21" 9021 long, raker and four.



# **MITRE BOXES**


21" Bow Saw. Ideal for backpacking, Sturdy, yet lightweight, red tubular frame. Cam action blade tensioning.

**Deluxe Steel Mitre Boxes With** Back Saw, Millers Falls mitre boxes, world famous for quality, offer years of rugged, accurate performance. One piece cast iron bed and back for strength. Offset steel legs for improved stability. "Oilite" bearing saw guides. Steel swing lever and posts. Graduated arc and index plate. Extendable swing lever travels freely from 45° to 90°, right or left, and locks at any desired angle (automatic locks at 0°, 9°, 221/2°, 30° and 45°, right or left). Automatic catch holds saw elevated when desired. Length gauge and acute angle adjustment are standard.

# (I) Millers Falls

# hand tools

# MITRE BOXES (continued)



Mitre Box With Back Saw.
Patterned after the Deluxe
Millers Falls but smaller scale.
Most accurate mitre box of its
size on the market. One piece
cast iron bed and back. Legs are
offset so box will not tip when saw
pressure is applied. Swing lever
(45° to 90°, right or left)
automatically locks in most used
angles. All exposed parts except
saw nickel plated for longer life.
Automatic catch holds saw
elevated when desired.

Adjustable Mitre Box. Sturdy steel and wood construction. Die-cast guide post holds steel saw guides. Positive depth lock, adjustable 0" to 3". Accurate angle cuts from 0° to 50° with graduated index plate and quick-action lock. Lacquered hardwood bed. Front legs "lipped" for bench stops when sawing. Accommodates hand or back saw.

1816-01	16″ x 4″ saw Capacity: 3″ Maximum Depth of Cut

11/4" wide blade

3" wide blade

5" wide blade

Specifications

Capacity: 834" at 90°,

24" x 4" saw

6" at 45° mitre

Cat. No.

1124



1404



1816-01



1407C 1409

#### SCRAPERS/KNIVES

Putty Knife. Tapered spring steel blade tempered and polished. Hardwood handle has hang hole. "C" denotes carded.

Wall Scraper. Tapered spring steel blade tempered and polished. Hardwood handle has hang hole. "C" denotes carded.

Spackling Knife. Tapered spring steel blade tempered and polished. Hardwood handle has hang hole. "C" denotes carded.

Linoleum Knife. Taper ground plated quality steel blade. Comfortable wood handle. Carded.

Fixed Blade Utility Knife. Diecast handle contains two extra blades. Three positions for scoring, carton opening and deep cutting. Hang hole. "C" denotes carded.







9333 9333C

1404

1407

1409

115C

1409C

1407C

1404C

5%" overall length



6618C

9318C

# **Millers Falls**

# hand tools

# KNIVES (continued)

\*9111C



\*266C

Retractable Blade Utility Knife. Thumb control adjusts blade to three locking positions. Die-cast handle provides handy blade storage. Hang hole. Carded.

Cat. No.

9111C

266C

3318

3325

9325C

6618C

2618C

9

14

8900

9814

9318C

Specifications

6" overall length

Standard .018 inch

Standard .018 inch

Heavy duty .025 inch

Heavy duty .025 inch

.018 inch

,018 inch

9" long, 2" cutter

9" long, 2" cutter

14" long, 2" cutter

14" long, 2" cutter

Tini-Knife. Pocket size, adjusts to three positions. Locks for safety. Spare blade in handle. Handy key chain. Carded.

Utility Knife Replacement Blades. For use with 9333, 9333C and 9111C Utility Knives. Tempered, ground with three notches, "C"

Utility Knife Hook Shaped Blade. For use with Millers Falls and many other makes of utility knives. Adjusts to two positions. Five blades per card.

For use with Millers Falls Tini-Knife. Five blades per card.

denotes carded, or pkg. of five.


Tini-Knife Replacement Blade.




#### **PLANES**

Fully Adjustable Bench Jack Planes. Milled and polished bottom and sides. One piece high quality tool steel cutter. Adjustable depth and side. Nickel plated lever cap. Hardwood handle and knob.

Fully Adjustable Bench Jack Planes. Polished bottom, high quality tool cutter. Easy side and depth adjustment.






56 6" long, 1%" cutter 75-01 7" long, 1%" cutter



<sup>\*</sup> Denotes carded or packed in vinyl pouch.



Adjustable/Low Angle Block Plane. 12° low angle with screw adjustment for depth. High quality tool steel cutter. Polished bottom, Ideal for smoothing end grains and for shaping, trimming, and cleaning wood.

8455 7" long, 1%" cutter

Specifications

Cat. No.

8707

3911C

3912C

3913C

3914C

3915C

3916C

Mini-Plane. Ideal for model

7" long, 1%" cutter

9033C



making, sculpture and other close quarter work. Carded.

9033C 31/2" long

## SHEARS/SNIPS



3919C

Metal Cutting/Straight Shears. Drop forged, hollow ground and heat treated. Straight pattern. Carded.

Metal Cutting/Circular Shears.

Drop forged, hollow ground and heat treated. Circular pattern. Carded.

Aviation Type Snips. Powerful aviation type snips will cut metals up to 18 gauge. Blade has serrated edges for faster, easier cutting. Contoured plastic grip. Drop forged. 10" length. Available in straight, left and right cutting styles. Carded.

7" length 10" length 1234" length


7" length 10" length 12¾" length

3917C Left cut, 10" long 3918C Right cut, 10" long 3919C Straight cut, 10" long











11-01

215C



318C



Tubing Cutter. Hardened alloy
steel blade and special flare
cut-off rollers. Retractable
reamer blades. Carded.

Cat. No.

4307C

4308

46C

10-01

11-01

12-01

187C.

215C

318C

1451

Specifications

3/16" to 5/8" O.D. capacity

1/8" to 1 1/8" O.D.

10-32, 8-32, 6-32

 $\frac{1}{16}$ " to  $\frac{1}{32}$ " capacity  $\frac{1}{32}$ " to  $\frac{1}{16}$ " capacity  $\frac{1}{4}$ " to  $\frac{1}{2}$ " capacity

capacity

capacity

Tubing Flaring Tool. Ball bearing mounted. Tapered cone. Can be used with 3/16" to 5/8" tubing.

3-Step Tap. Taps, re-taps and threads sizes 10-32, 8-32 and 6-32. Carded.

Tap Wrenches, Sliding T-handle allows use of greater pressure. Used for holding taps, drills, reamers and other small tools which are turned by hand. Chuck head centered to allow use on lathe centers or vertical drilling machines as work starter.

#### WRENCHES

Hex Key Wrench Set. Seven piece set with standard shanks includes %4" through 1/4" sizes. Hardened, tempered high-carbon tool steel with rust-resistant plating. Carded.

Hex Key Wrench Set. Hardened, tempered high-carbon tool steel with rust-resistant plating. Fifteen piece set with standard shanks Carded.

Hex Key Wrench Set. Hardened, tempered high-carbon tool steel with rust-resistant plating. Eighteen piece set includes some 215C sizes, plus longer shanks in some sizes. Carded.

Locking Grip Plier. Locks visetight with adjustment to 11/2". Quick action release.

7-piece set includes %4", %32", ½", %32", ¾16", %32" and ¼" wrenches
15-piece set includes %4", ½6", %4", ½2", ½8", %4", ½2", ¼4", ½2", ¼4", ½6", ½6", 38", .035" and .050" wrenches
18-piece set includes: Standard Shanks ½", ¾4", ¾32", ¾4", ½", ¾4", ¾32", ¾2" and .050 Long Shanks ½", ¾4", ¾32", ⅙4", ½", ¾32", ¾6", ¼", and ¾6"
8" length, adjustment to 1½"

<sup>\*</sup> Denotes carded or packed in vinyl pouch.

9-03

# hand tools

BEVELS



Bevel.Steel blade and hardwood handle with rust resistant brass locking nut.

#### PLUMB BOBS

Plumb Bobs. Accurately machined-turned from cold rolled steel with carefully sharpened points. Nickel plated. "C" denotes carded.

#### CHALK LINES/CHALK

Chalk Lines. Die-cast aluminum housing with slide-action lock and hook ring. Lock releases automatically when rewound. Plumb bob top opens for easy refilling.

Replacement Chalk Lines, Heavy woven nylon lines on spools. Packed six per box.

Marking Chalk, Micro-fine chalk for five times more marking power. Eight ounce plastic squeeze container.

Marking Chalk.Packaged in one ounce cellophane packets.

#### THICKNESS GAUGES

Thickness Gauges. Precision leaves etched in decimal and metric calibrations. Positive lock nut ensures accuracy.

#### **FOLDING RULES**

6 Ft. Extension Rule. Extra heavy hardwood with heavy duty brass spring joints and strike plates. 6" brass extension for use on inside measure or as depth gauge. Yellow face with 16th graduations. Carded.

Deluxe 6 Ft. Folding Wood Rules. Six foot hardwood with heavy duty brass joints. White face with 16th graduation on four edges. Available in outside regular and inside flat models. Carded.

6 Ft. Folding Wood Rules.Six foot hardwood with brass plated joints. 16th graduations in easy reading white face. Available in outside and inside reading models. Carded.


1460C

1461C

6 ft. outside

6 ft. inside

	Cat. No.	Specifications
	98	8" long
	_	
	1	2½ oz.
	2 2C	5 oz.
	3 3C	8 oz.
"	4	12 oz.
	8050 8100	50 ft. 100 ft.
	8051 8101	50 ft. 100 ft.
	9122 9123 9124	Blue Red White
	8121 8122 8123	White Blue Red
	9-03	9 each 3½6" x ½" leaves,
	25	sizes .0015 to .020 25 each 2½" x ½" leaves, sizes .0015 to .0250
	160C	%" wide, 6' long
	1560C 1561C	Outside regular Inside flat



# (1) Millers Falls

# hand tools

#### TAPE RULES



\* 7406C

"Slim Line" Auto-Rewind Blades
1/4" wide white blade locks tight
to prevent creeping, rewinds
automatically. Overall blade
graduated in 16ths, first six inches
graduated in 32nds. Case is
exactly 2" wide at base for
accurate inside measuring.
Carded.

Cat. No.

7406C

7408C

7410C

1506C

1508C

1510C

1512C

1610C

1612C

1616C

4908C

4910C

4912C

ME4806C

ME4810C

ME4812C

M4706C

M4710C

Specifications

1/4" wide x 6 ft. long

1/4" wide x 8 ft. long

1/4" wide x 10 ft. long

1/2" wide x 6 ft. long

1/2" wide x 8 ft. long

1/2" wide x 10 ft. long

1/2" wide x 12 ft. long

34" wide x 10 ft. long

34" wide x 12 ft. long

34" wide x 16 ft. long

**ENGLISH** 

METRIC/ENGLISH 1/2" wide x 2 meters long

METRIC 1/2" wide x 2 meters long

1/2" wide x 3 meters long

1/2" wide x 3 meters long

1/2" wide x 3.65 meters

1/2" wide x 8 ft. long

1/2" wide x 10 ft. long

1/2" wide x 12 ft. long

#### PUSH/PULL RULES.

1/2" and 3/4" wide white blades. Quick-read feet and inches on upper edge and continuous inches on lower edge. 16" stud markings are clearly indicated. Case exactly 2" wide at base. Belt loop on back of case. Graduated in 8ths and 16ths overall, 32nds first six inches. Carded.

Quick-Coil Power Rules.1/2" wide
instant power recoil with belt
clip. White blade with 16" stud
markings and inch and foot
markings. Graduated 8ths and
16ths overall, 32nds first six
inches. Available in English,
Metric and Metric/English
graduations. Carded.

#### Quick-Lock Power Rules.

Available in ½" and ¾" wide blade models. Push-button lock prevents creeping. White Mylar protected blade has 16" stud markings. Graduated in 8ths and 16ths. Belt clip. Carded.

8012C	1/" wide v 10 ft long
	½" wide x 10 ft. long
8212C	1/2" wide x 12 ft. long
8234C	34" wide x 12 ft. long
7634C	34" wide x 16 ft, long
8260C	34" wide x 20 ft. long

long



\* 1510C



\*4912C



8012C

*	Denotes	carded	or	packed	in	vinyl	pouch

# ) Millers Falls

# hand tools

## LONG MEASURE TAPE RULES



Replacement Tape Rule Blades. 1/2" and 3/4" wide, white face.

**RB216** 



3100C

100 ft. steel measure

1100C

Standard 3/4" Wide Steel Blade. Durable steel case with black plastic covering. Winding handle folds flush. 16" stud markings clearly indicated on yellow face. Hooked end. Available in 50 ft. and 100 ft, lengths. Carded.

Deluxe 3/4" Wide Steel Blade. Rust resistant steel case with red vinyl covering, Flush winding handle has instant release button. Stainless steel trim. Yellow face (white on metric models) with 16" stud markings, inches, fractions and foot figures. Carded.

Long Tape Rule Replacement Blades. %" and %" wide flexible blades for 1000 and 3000 series long tape rules.

	Cat. No.	Specifications
	RB6	½" wide x 6 ft. long
i	RB8	1/2" wide x 8 ft. long
١	RB10	1/2" wide x 10 ft. long
1	RB12 RB610	1/2" wide x 12 ft. long 3/4" wide x 10 ft. long
	RB612	34" wide x 10 ft. long
	RB216	34" wide x 16 ft. long
	RB620	34" wide x 20 ft. long
	TIBOLO	74 Wide X Is it ising
	1050C	3/8" wide x 50 ft. long
	1100C	3/8" wide x 100 ft. long
	Inc. and Share No. Shade	The same same same same same same same sam
		ENGLISH
	3050C	34" wide x 50 ft. long
	3100C	¾" wide x 100 ft. long
		METRIC
	M3050C	3/4" wide x 15 meters long
١	M3100C	3/4" wide x 30 meters long
	1051	%" wide x 50 ft. long
	1101	3/8" wide x 100 ft. long
		_
١	3051	3/4" wide x 50 ft. long
	3101	34" wide x 100 ft. long
	1336	3 ft. long
1		

18" long, 6 vials 24" long, 6 vials

28" long, 6 vials 30" long, 6 vials

24" long, 4 vials

1336 Tempered Aluminum Yardstick, Stamped with moulding styles, nail sizes and 16th graduations. Hang hole, Individually packed



in clear plastic sleeve.

LEVELS

618

624

628

630

824

624

64

Heavy Duty Six-Vial Aluminum Levels. Heavy duty die-cast frame with precision machined surfaces for highest accuracy. Six extra large vials are set in plaster of paris for protection and longer life.



Four-Vial Aluminum Level, Die-cast frame with machined surfaces 824 for accuracy. Top edge graduated. Four protected vials-two level and two plumb cats-eye. Painted surfaces.



9424

Four-Vial Aluminum Levels. Die-cast frame with machined surfaces for accuracy. Four protected vials-two level and two plumb cats eye. Black surfaces.




648

Aluminum Mason's Level, Heavy duty aluminum with top, sides and ends accurately machined. Six vials protected by thick glass.

9424 24" long, 4 vials 9428 28" long, 4 vials 9448 48" long, 4 vials

648 48" long, 6 vials





(1) Millers Falls

# (In Millers Falls)

# hand tools

# SQUARES



1276C

	1498
Byrrynynynynyn	STOTTESTATATATATATA
	1408

1400	
ererererererererere Indudududududududududerer	<u> </u>
140	

		1406
	Education desiration	
		iladadadadadadada.
11111		1402

Combination Square with Center
Head. Stainless steel blade has
ground edges and easy-to-read
graduations. Center head aids
lathe work, centering and
checking. Graduated in 8ths and
16ths one side, 16ths and 32nds
on reverse. Includes scriber and
level.

Combination Square. 6" machine
graduated steel blade. Zinc die-
cast head with black finish.
Includes level and scriber.
Graduated in 8ths and 16ths one
side, 16ths and 32nds on reverse.
Carded.

Rafter Squares. Black steel finish
with white markings. Includes
rafter table, brace table, essex
board, octagon scale and 100th
scale. Face graduated in 8ths
and 16ths, back graduated in
10ths, 12ths and 16ths. Available
in English and Metric models.

Rafter Square, Polished steel
finish, graduated in 8ths. Includes
rafter table.

Framing Square, Polished
steel finish, 4ths and 8ths
graduations. Includes essex
board.


Rafter Square. Blued steel finish
with white graduations in 4ths
and 8ths. Includes framing table
and essex board.

Rafter Square. Highly polished
steel finish with lacquered,
yellow flourescent graduations
in 4ths and 8ths. Includes essex
board and framing table.

1	Rafter Square. Lightweight
	aluminum alloy with polished
	finish. Includes rafter table,
	framing table, essex board,
	octagon scale, 100th scale and
	brace table. Face graduated in
	10ths and 12ths.

	Cat. No.	Specifications
er S d	1294	12" blade
nd s d		
ne :-	1276C	6" blade
e e.		
sh	1498	ENGLISH Body 24" x 2" Tongue 16" x 1½"
e	1420M	METRIC Body 24" x 2" Tongue 16" x 11/2"
es	1408	Body 24" x 2" Tongue 16" x 1½"
	1400	Body 24" x 2" Tongue 16" x 1½"
n )	1401	Body 24" x 2" Tongue 16" x 1½"
3	1406	Body 24" x 2", Tongue 16" x 1½"
i d	1402	Body 24" x 2", Tongue 16" x 11/2"
	"	






<sup>\*</sup> Denotes carded or packed in vinyl pouch.

BRACES		Cat. No.	Specifications
	Ratchet Brace. Semi-boxed ratchet with alligator jaws. Durable impact resistant plastic handle and head.	2410	10" sweep
2410	Ratchet Brace. Barber pattern chuck with alligator jaws and semi-boxed steel ratchet. Ball bearing head and sweep.	1710	10" sweep
502	Corner Brace. Designed for boring in corners against walls and beams. Machine cut exposed gears. Nickel plated.	502	10" sweep
	Screwdriver Bits. For use with all Millers Falls and other make braces. For slotted head screws.	351-01 351-02 351-03	¼" dia. blade ½" dia. blade %" dia. blade
	MILLERS FALLS 6 351-01		
OF 40	Extension Bit. Follow through  11/16" or larger. Replaceable jaws hold shank or square socket.	35-18	18" length
35-18			
	HAND DRILLS		
The state of the s	Professional Automatic Drill.  Quick action chuck locks point securely. Handle holds up to 8 points. Indexed by size and gauge. "C" denotes carded.	185 185C	
170 185	Automatic Drill. Quick action chuck. Handle holds up to 12 points. Extra strong return spring. Nickel plated parts. "C" denotes carded.	170 170C	





# (I) Millers Falls

# hand tools

HAND DRILLS

Hand Drill. Sturdy solid gear on heavy die cast frame. Hardwood handle holds extra bits. Quality ¼" capacity chuck. Cat. No.

78

2500

611

621

631C

9631C

Specifications

1/4" capacity


1/4" capacity

201/2" length

27" length

10" length

10" length



2500



#### Spiral Ratchet Screwdrivers.

Reversible heavy duty industrial model with quick return. Spring loaded chuck holds blade firmly with quick change release. Three position ratchet control.

#### Spiral Ratchet Screwdriver.

Reversible for fast driving and drawing. Carded.

#### Spiral Ratchet Screwdriver with

Bits. Reversible screwdriver holds four bits in transparent plastic handle. Carded.

# Screwdriver Bits. For use with spiral ratchet screwdrivers.



	FOR MODEL 61
P11	#1 Phillips
P12	#2 Phillips
P13	#3 Phillips
1201	⅓₂″ Flat

P21 #1 Phillips P22 #2 Phillips P23 #3 Phillips 1166 1/4" Flat 1167 %32" Flat

1/16" Flat

FOR MODELS 631C ( & 9631C

P17 #1 Phillips P27 #2 Phillips 299 1/4" Flat

1168-01



\* 631C 9631C



# (I) Millers Falls

# hand tools

#### **SCREWDRIVERS**


#### 950 Series Professional Quality Screwdrivers

Chrome vanadium blade with epoxy lacquer finish, bare edge and fully ground tip. Tempered over complete length. Large shockproof six-fluted plastic handles. Amber with black stripes.



#### 750 Series Screwdrivers

Bright plated hardened and tempered alloy steel blades. Four-fluted clear plastic handles with red stripes.



	Point	Blade	Shank
Cat. No.	Size	Length	Diam.
Ro	ınd Shan	ı k Phillips l	ı Head
950-01	#1	3″	l
950-01	#1	3 4"	
950-03	#3	6"	Ser.
Ro	l ound Sha	l nk Flat Bla	l de
951-04		4"	1/4"
951-06		6″	5∕16″
951-08		8″	3/8″
Squ	are Shar	k Flat Bla	
952-04		4"	1/4"
952-06 952-08		6″ 8″	5/16" 3/8"
952-10		10"	3/8"
	ı ıd Shank	Cabinet B	1
953-04		4"	³/16"
953-06		6"	₹16″
953-08		8"	3∕16″
Rour	d Shank	Pocket Bla	
955		4"	1/8″
	Stubby	Square	
954		11/2″	1/4"
	Stubby	Phillips	
960-02	#2	11/2"	
	Phillips	Head	
750-01	#1	3″	
750-01	#2	4"	
750-03	#3	6″	
	Round	Shank	
751-03		3″	1/4"
751-04		4" 6"	1/4"
751-06		587	5∕16″
753-03	Cabinet	Blade 3"	3/ //
753-03 753-04		3" 4"	¾6" ¾6"
753-04		6"	716 3/16"
1000 see 5050	Pocket	Blade	ಕುಸಾಪನೆ -
755	- ocket	2"	1/8"
	Stubby	Sanara	*******
754	Junny	11/2"	1/4"
	Stubby	420000	6.00%
760-02	#2	11/2"	
		E	
		- 1	

# (I) Millers Falls

# hand tools

#### **SCREWDRIVERS**

#### 550 Series Screwdrivers

Bright plated hardened tool steel blades. Six-fluted amber plastic handle with red stripes. Carded.









\*555C

\*533-04C

\*550-02C

72

#### 4400 Series Professional Quality Screwdrivers

Chrome vanadium blades with cross ground tips and rust proof finish. Black cushion grips of nitrile rubber securely interlocked to durable amber plastic handles to give maximum turning power. Patented design for extra comfort.











Cat. No.	Point Size	Blade Length	Shank Diam.	
	Di-1111	l lless		
550-01C		ps Head 3"		
550-02C	#1 #2	4"		
	Down	d Shank		
551-03C	Houn	3"	1/4"	
551-04C 551-06C		4" 6"	1/4" 1/4"	
331-000	Cabir	et Blade	, 74	
533-04C		4"	¾6″	
	Pock	 et Blade		
555C	X == 3.3	2"	1/8"	
			(	
	Philli	ps Head		
4455	#1	3"		
4456 4457	#2 #3	4" 6"		
Elec	"       Electricians' Round Shank			
4463		3″	1/4"	
4464		4" 6"	¾16″	
4465		0	¾16″	
	chanics'	Round Sh		
4450 4451		3″ 4″	¾16" ¼4"	
4452 4453		6″ 8″	%6″ 3%″	
	hanics'	Square Sh		
4459 4460		4" 6"	¼" 5/16"	
4461 4462		8" 10"	3/8″ 3/8″	
4406		11.550	76	
4454	Stubb	y Square	1/ "	
4454		11/2″	1/4"	
		y Phillips		
4458	#2	1 1/2"		



<sup>\*</sup> Denotes carded or packed in vinyl pouch.





7-Piece Carving Tool Set. For intricate carving in wood, soap and linoleum. Forged tool steel, heat treated, polished and ground. Six different shaped cutting tools and special sharpening stone. Carded.

- 1		
	106C	All 6¼" long

Specifications





Deluxe 6-Piece Carving Tool Set. Five different cutting tools and special sharpening stone. Maple handles fit snugly into palm for improved control. Carded. 107C All 5" long

107C





74


Glass Cutter. Turret head cutter has six wheels mounted on numbered turret axle. Carded.

1-01C 5%" long



Glass Cutter. Heavy cast iron cutter shaped to fit fore finger and thumb. Three breaker notch widths. Carded.

337C 5" long




Professional Glass Cutter.
Designed for glass factories and frequent users. Precision ground carbide wheel. Three ground notch widths. Carded.

66C 5¼" long


Glass Cutter Replacement Wheels. For use with above glass cutters. 9001 For 1-01C D-01 For 337C 66-01 For 66C


<sup>\*</sup> Denotes carded or packed in vinyl pouch.

# (Millers Falls hand tools miscellaneous









1550-01

Polishing Head. Complete with %" chuck. Pulley for V or round belt with ½" spindle diameter. 52½2" from shaft center to base.

Sawhorse Brackets. Heavy gauge pressed steel brackets for standard 2x4's. Special display package.

Wood Scrapers. Tempered tool steel blade has four scraping edges—two edges ready for use, two edges available by reversing blade. Paint brush type hardwood handles.

Wood Scraper Replacement Blades. For use with above Wood Scrapers.

Tack Claw. Forged claw with bevel ground blade. Handy for any size tacks, brads. Carded.

Bench Vise. 11 lb. vise features pipe holding jaws and swivel base. Jaws tempered and hardened.

Bench Vise. 13 lb. vise features pipe holding jaws and swivel base. Jaws tempered and hardened.

Steel Letters and Figures.
Machine cut from precision
master dies. Cleaner, sharper
characters. Hardened and
tempered heads and faces.
Gothic Type. "A" through "Z"
letters, 0 through 8 figures (6
reverses for 9).

Cat. No.	Specifications
130-12	¾" chuck, ½" spindle
379C	For standard 2" x 4" lumber
51 39	1½" cutter 2½" cutter
121	
346 356	For Model 39 For Model 51
9211C	7" length
9923	3½" jaw width, 3" opening

1500-01 1500-02 1500-03 1500-04 1500-05 1500-07 1500-08	STEEL LETTER SETS  1/16" height 1/2" height 1/4" height 1/4" height 1/4" height
1000-08	½" height
1550-01 1550-02 1550-03 1550-04 1550-05 1550-07 1550-08	STEEL FIGURE SETS  1/46" height 1/2" height 1/4" height 1/4" height 1/4" height 1/4" height 1/2" height
A Company	

4" jaw width,

3¾" opening

MILLERS FALLS No 224

224-11

Wrecking Bar. Drop forged alloy steel with polished chisel and deep beveled nail claw.

224-11

24" long, 23/32" hex shank